

PRINTING INSTRUCTIONS


We recommend printing at full-scale to check the fit with your tools before ordering.

Option 1: Print this page full-scale on a large-format printer (E-Size, 44 inches X 34 inches).

Option 2: Print page 2 - 26 on 8-1/2 X 11 inch paper and assemble.

Thank You!

THE INFORMATION CONTAINED ON THIS DRAWING IS THE SOLE PROPERTY OF FOAMFIT TOOLS AND MAY NOT BE USED WITHOUT PERMISSION. Copyright 2020 FoamFit Tools



INCH SOCKETS (SEE PAGE 2 FOR RIGHT HALF)

APPROXIMATE TOP OF TALLEST SOCKET

CAUTION
SUGGESTED DRAWER HEIGHT
3.5 MIN

3.31

PART NUMBER **F-03608-T**

PRINTING INSTRUCTIONS



We recommend printing at full-scale to check the fit with your tools before ordering.

Option 1: Print this page full-scale on a large-format printer (E-Size, 44 inches X 34 inches).

Option 2: Print page 2 - 26 on 8-1/2 X 11 inch paper and assemble.

Thank You!

THE INFORMATION CONTAINED ON THIS DRAWING IS THE SOLE PROPERTY OF FOAMFIT TOOLS AND MAY NOT BE USED WITHOUT PERMISSION. Copyright 2020 FoamFit Tools



PART NUMBER
F-03608-T


METRIC SOCKETS

1.00 IN

PAGE KEY

| | | | | | |
|---|--|--|--|--|--|
| | | | | | |
| X | | | | | |

1.00 IN



Print on Letter at 100%

DATE CREATED



13 MAY 2020

PART NUMBER

F-03608-T

← 1.00 IN →

PAGE KEY



Print on Letter at 100%

DATE CREATED

13 MAY 2020

PART NUMBER


F-03608-T

← 1.00 IN →

PAGE KEY



1.00
IN



Print on Letter at 100%

DATE CREATED


13 MAY 2020

PART NUMBER

F-03608-T

1.00 IN

PAGE KEY




Print on Letter at 100%

DATE CREATED
13 MAY 2020

PART NUMBER
F-03608-T

1.00 IN

PAGE KEY



Print on Letter at 100%

DATE CREATED

13 MAY 2020

PART NUMBER


F-03608-T

1.00 IN

PAGE KEY



1.00
IN



Print on Letter at 100%

DATE CREATED


13 MAY 2020

PART NUMBER


F-03608-T

← 1.00 IN →

PAGE KEY



1.00
IN




Print on Letter at 100%

| | |
|------------------|--------------------|
| PART NUMBER | DATE CREATED |
| F-03608-T | 13 MAY 2020 |


1.00 IN

PAGE KEY



X

1.00 IN



Print on Letter at 100%

DATE CREATED

13 MAY 2020


PART NUMBER

F-03608-T

1.00 IN

PAGE KEY

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| X | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|




Print on Letter at 100%


| | |
|------------------|--------------------|
| PART NUMBER | DATE CREATED |
| F-03608-T | 13 MAY 2020 |

← 1.00 IN →

PAGE KEY



1.00
IN



Print on Letter at 100%

DATE CREATED


13 MAY 2020

PART NUMBER

F-03608-T


1.00 IN

PAGE KEY



1.00 IN

Print on Letter at 100%



DATE CREATED


13 MAY 2020

PART NUMBER

F-03608-T


1.00 IN

PAGE KEY



1.00
IN

Print on Letter at 100%



DATE CREATED

13 MAY 2020


PART NUMBER

F-03608-T

Print on Letter at 100%

1.00
IN

1.00 IN



PAGE KEY

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|---|
| | | | | | | | | | |
| | | | | | | | | | X |

DATE CREATED



13 MAY 2020

PART NUMBER

F-03608-T

1.00 IN

PAGE KEY




Print on Letter at 100%

DATE CREATED
13 MAY 2020


PART NUMBER
F-03608-T

1.00 IN

PAGE KEY




1.00 IN



Print on Letter at 100%

PART NUMBER **F-03608-T**
DATE CREATED **13 MAY 2020**

Print on Letter at 100%



1.00 IN

1.00 IN

PAGE KEY

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

X

DATE CREATED

13 MAY 2020

PART NUMBER

F-03608-T


1.00 IN

PAGE KEY

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| X | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

1.00
IN

Print on Letter at 100%



DATE CREATED
13 MAY 2020

PART NUMBER
F-03608-T


1.00 IN

PAGE KEY

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| X | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

1.00
IN

Print on Letter at 100%



DATE CREATED

13 MAY 2020

PART NUMBER

F-03608-T

1.00 IN

| | | | |
|--|---|--|--|
| | X | | |
| | | | |
| | | | |
| | | | |

1.00
IN


DATE CREATED

13 MAY 2020

PART NUMBER


F-03608-T

Print on Letter at 100%




1.00 IN

PAGE KEY



1.00
IN

Print on Letter at 100%



DATE CREATED

13 MAY 2020


PART NUMBER

F-03608-T

← 1.00 IN →

↑ 1.00 IN ↓

Print on Letter at 100%




DATE CREATED

13 MAY 2020

PART NUMBER

F-03608-T

Print on Letter at 100%



1.00 IN

1.00
IN

PAGE KEY

| | | | | | |
|--|--|--|--|--|---|
| | | | | | X |
| | | | | | |
| | | | | | |
| | | | | | |

DATE CREATED


13 MAY 2020

PART NUMBER

F-03608-T

1.00 IN


PAGE KEY



X

1.00
IN

Print on Letter at 100%



DATE CREATED

13 MAY 2020

PART NUMBER

F-03608-T

1.00 IN


PAGE KEY

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

X

1.00 IN

Print on Letter at 100%



DATE CREATED
13 MAY 2020

PART NUMBER
F-03608-T