
THE INFORMATION CONTAINED ON THIS DRAWING IS THE SOLE PROPERTY OF FOAMFIT TOOLS AND MAY NOT BE USED WITHOUT PERMISSION.
Copyright 2026 FoamFit Tools


PRINTING INSTRUCTIONS

Print at full-scale and place tools over the paper to verify the fit.

Option 1: Print this page full-scale on a large-format printer (E-Size, 44 inches X 34 inches).


Option 2: Print page 2 - 9 on 8-1/2 X 11 inch paper and assemble.






PART NUMBER **F-06636-R**


MATERIAL	PART NUMBER	DATE CREATED	DATE REVISED
3/4" NOMINAL THICKNESS CROSS-LINKED POLYETHYLENE FOAM	F-06636-R	08 OCT 2026	




PART NUMBER	PAGE (ROW-COLUMN)	DATE CREATED	DATE REVISED	
F-06636-R	**1-1** Numbering starts from the front left corner.	08 OCT 2026		*FoamFit Tools* Print on Letter at 100%




PART NUMBER	PAGE (ROW-COLUMN)	DATE CREATED	DATE REVISED	
F-06636-R	**1-2** Numbering starts from the front left corner.	08 OCT 2026		*FoamFit Tools* Print on Letter at 100%




PART NUMBER	PAGE (ROW-COLUMN)	DATE CREATED	DATE REVISED	
F-06636-R	**1-3** Numbering starts from the front left corner.	08 OCT 2026		*FoamFit Tools* Print on Letter at 100%




PART NUMBER	PAGE (ROW-COLUMN)	DATE CREATED	DATE REVISED	
F-06636-R	**1-4** Numbering starts from the front left corner.	08 OCT 2026		*FoamFit Tools* Print on Letter at 100%




PART NUMBER	PAGE (ROW-COLUMN)	DATE CREATED	DATE REVISED	
F-06636-R	**2-1** Numbering starts from the front left corner.	08 OCT 2026		*FoamFit Tools* Print on Letter at 100%



PART NUMBER	PAGE (ROW-COLUMN)	DATE CREATED	DATE REVISED	
F-06636-R	**2-2** Numbering starts from the front left corner.	08 OCT 2026		*FoamFit Tools* Print on Letter at 100%



PART NUMBER	PAGE (ROW-COLUMN)	DATE CREATED	DATE REVISED	
F-06636-R	**2-3** Numbering starts from the front left corner.	08 OCT 2026		*FoamFit Tools* Print on Letter at 100%



PART NUMBER	PAGE (ROW-COLUMN)	DATE CREATED	DATE REVISED	
F-06636-R	**2-4** Numbering starts from the front left corner.	08 OCT 2026		*FoamFit Tools* Print on Letter at 100%